

inter-lux


PLASTER TRIM

PATTERN CORNER (P)

WG-100LDL-RPT-P








Mitered + Welded Housing Mitered + Butted Lens


PLANE TO PLANE OUTSIDE CORNER (PPO)

Minimum Angle 60° 180° Maximum Angle


PLANE TO PLANE INSIDE CORNER (PPI)

WG-100LDL-RPT-PPI










Mitered + Welded Housing Mitered + Butted Lens



SECTION

4.5" 114mm

WG-100LDL-RPT-PPO

Direction of Light Direction of Light

Mitered + Welded Housing Mitered + Butted Lens




inter•lux

PLASTER TRIM

PATTERN CORNER (P)

WG-100LDL-[RBT / RGTX]-P




Mitered + Welded Housing Mitered + Butted Lens

> Direction of Light

Minimum Angle 48° Maximum Angle 180°


PLANE TO PLANE INSIDE CORNER (PPI)

WG-100LDL-RBT-PPI



Direction


of Light



Mitered + Welded Housing Mitered + Butted Lens

PLANE TO PLANE OUTSIDE CORNER (PPO)

WG-100LDL-RBT-PPO




Mitered + Welded Housing Mitered + Butted Lens



inter•lux


CORNER + STRAIGHT RUN CONNECTIONS

Recessed Plaster Trim




CORNER + STRAIGHT RUN CONNECTIONS

Recessed Bezel Trim / Recessed Grid Trim



inter•lux

PROFILE DIMENSIONS



9/16 (RGT9) / 15/16 (RGT15)

Recessed Trim for Slot Grid (RGTS)