





Dropper



Dropper Basic | LED strip | stripLED 4.8 W / m 24 V

Damp  C.V. IP50  



3.3 ft piece	color	
98343	2500 K	270 lm
89399	2700 K	360 lm
98557	3000 K	365 lm
89976	4000 K	370 lm
89398	5000 K	390 lm
89403	Red	
89401	Green	
89400	Blue	
89402	Yellow	


16.4 ft reel	color	
98344	2500 K	1350 lm
98019	2700 K	1800 lm
98558	3000 K	1825 lm
98020	4000 K	1850 lm
98018	5000 K	1950 lm
98024	Red	
98022	Green	
98021	Blue	
98023	Yellow	


power supply options (remote only)

S	D010
Standard non-dim, 120-277V	1%, 0-10V dimming, 120-277V




accessories




PROFILES  4

CABLES  5

Dropper Hi-Flux | LED strip | stripLED 14.4 W / m 24 V

Damp  C.V. IP50  



3.3 ft piece	color	
98349	2500 K	810 lm
89641	2700 K	1080 lm
98565	3000 K	1090 lm
98085	4000 K	1110 lm
89642	5000 K	1170 lm
98086	Red	
98087	Green	
98088	Blue	
98089	Yellow	

16.4 ft reel	color	
98350	2500 K	4050 lm
98092	2700 K	5400 lm
98566	3000 K	5450 lm
98091	4000 K	5550 lm
98090	5000 K	5850 lm
98093	Red	
98094	Green	
98095	Blue	
98096	Yellow	

power supply options (remote only)

S	D010
Standard non-dim, 120-277V	1%, 0-10V dimming, 120-277V




accessories



PROFILES  4

CABLES  5

Dropper 120 LEDs/m | LED strip | stripLED 9.6 W / m 24 V

Damp  C.V. IP50  



3.3 ft piece	color	
98571	3000 K	722 lm
98573	4000 K	740 lm
98575	5000 K	780 lm


16.4 ft reel	color	
98572	3000 K	3610 lm
98574	4000 K	3700 lm
98576	5000 K	3900 lm


power supply options (remote only)

S	D010
Standard non-dim, 120-277V	1%, 0-10V dimming, 120-277V

accessories



PROFILES  4

CABLES  5

Dropper RGB | LED strip | stripLED 14.4 W / m 24 V


Damp  C.V. IP50  

3.3 ft piece color

16.4 ft reel color

89416 RGB

98025 RGB



power supply options (remote only)

S	D010
Standard non-dim, 120-277V	1%, 0-10V dimming, 120-277V

accessories




PROFILES

CABLES



LED Strips | Surface profile



type	L	suitable for	
Anod. Al.	79 inch	Ribbon, Dropper	98061




fixing kit
98064



2 x caps
98063

SURFACE KIT	98061 + 98063 + 98064 + 98062	98061
--------------------	-------------------------------	--------------

LED Strips | Recessed profile




type	L	suitable for	
Anod. Al.	79 inch	Ribbon, Dropper	98066



2 x caps
98065

RECESSED KIT	98066 + 98065 + 98062	98439
---------------------	-----------------------	--------------

LED Strips | Walk-over PMMA cover



type	L	suitable for	
Opaline	79 inch	98061 - 98066	98062
Transp.	79 inch	98061 - 98066	98421

LED Strips | LED Strip / multiple socket cable



connector	sec. Ø	suitable for	L inch
F	2 x 0,35 mm ²	Ribbon mono Dropper mono Lafina Ice-Cut	11.8 89121

LED Strips | LED Strip / multiple socket extension



connectors	sec. Ø	suitable for	L inch
M + F	2 x 0,35 mm ²	Ribbon mono Dropper mono Lafina Ice-Cut	39.4 89123 118 89125

LED Strips | Multiple socket cable



connectors	sec. Ø	suitable for	L inch
6 M	2 x 0,35 mm ²	Ribbon mono Dropper mono Lafina Ice-Cut	39.4 89119

LED Strips | LED Strip / driver fast connector cable



connectors	sec. Ø	suitable for	L inch
1 clip	2 x 0,35 mm ²	Ribbon basic mono Ribbon Hi-Flux mono	5.9 98384

LED Strips | LED Strip / LED Strip fast connector extension



connectors	sec. Ø	suitable for	L inch
2 clip	2 x 0,75 mm ²	Ribbon basic mono Ribbon Hi-Flux mono	5.9 98379

LED Strips | Fast connector



connectors	suitable for	L inch
1 clip	Ribbon basic mono Ribbon Hi-Flux mono Ribbon basic RGB Ribbon Hi-Flux RGB	98383

RGB Strips | LED Strip / multiple socket cable



connector	sec. Ø	suitable for	L inch
F	4 x 0,35 mm ²	Ribbon RGB Dropper RGB	11.8 89122

RGB Strips | LED Strip / multiple socket extension



connectors	sec. Ø	suitable for	L inch
M + F	4 x 0,35 mm ²	Ribbon RGB Dropper RGB	39.4 89124 118 89126