



**Dropper 36 LEDs/ft | LED strip | Damp location | stripLED 2.9 W/ft 24 V**



Cable 11.8 in supplied with product;  
Female end connector

CRI 80

196.9 in	<b>E98572</b>	3000 K	3610 lm
196.9 in	<b>E98574</b>	4000 K	3700 lm

**Power supply options (remote only)**



**OT96-D010**

Osram, 10% 0-10V dim, 96W, 24V DC, 120-277VAC, supplied in a Dry location

**OT96-JBX**

Osram, Non-dim 24V DC, 120-277VAC, Wet location

**Dropper RGB 18 LEDs/ft | LED strip | Damp location | stripLED 4.4 W/ft 24 V**



Cable 11.8 in supplied with product;  
Female end connector



RGB


CRI 80

196.9 in	<b>E98025</b>	RGB
----------	---------------	-----

**Power supply options (remote only)**

**EL96-DMX**

LED Driver 96W, 24VDC, 120-277VAC, +EldoLED LINEARdrive LIN100D2 DMX/Sequencer Interface for RGB fixtures, remote mounted, supplied in a Dry Location Enclosure. DMX Control not included/ order separately.



---

**LED Strips | IP66 cable**

connector	sec. Ø	available for	in	
1 M	0.08 x 0.03 in <sup>2</sup>	Silicone_C mono	39.4 in	<b>E89629</b>

---

**LED Strips | IP66 extension**

connector	sec. Ø	available for	in	
1 F	0.08 x 0.03 in <sup>2</sup>	Silicone_C mono	78.7 in	<b>E99000</b>

---

**RGB Strips | IP66 cable**

connector	sec. Ø	available for	in	
1 M	0.16 x 0.01 in <sup>2</sup>	Silicone_C RGB	78.7 in	<b>E89630</b>

---

**RGB Strips | IP66 extension**

connector	sec. Ø	available for	in	
1 F	0.16 x 0.01 in <sup>2</sup>	Silicone_C RGB	78.7 in	<b>E99001</b>

---

### Low surface profile | Indoor LED Strips




Compatible with  
Ribbon - Ribbon slim  
Dropper

type	L in		
Anod. AL	78.7 in	Profile	<b>E98891</b>
Transp.	78.7 in	Diffuser	<b>E98941</b>
Satinized	78.7 in	Diffuser	<b>E98942</b>
Opaline	78.7 in	Diffuser	<b>E98943</b>
	2 x	Caps	<b>E98892</b>
	5 x	Brackets	<b>E98944</b>

#### KIT composition

1 x	E98891-E98943-E98892-E98944	<b>E98954</b>
10 x	E98891-E98943	<b>E98955</b>



### High surface profile | Indoor LED Strips



Compatible with  
Ribbon - Ribbon slim  
Dropper  
Silicone\_C

type	L in		
Anod. AL	78.7 in	Profile	<b>E98893</b>
Transp.	78.7 in	Diffuser	<b>E98941</b>
Satinized	78.7 in	Diffuser	<b>E98942</b>
Opaline	78.7 in	Diffuser	<b>E98943</b>
	2 x	Caps	<b>E98894</b>
	5 x	Brackets	<b>E98944</b>


### Square surface profile | Indoor LED Strips



Compatible with  
Ribbon - Ribbon slim  
Dropper

type	L in		
Anod. AL	78.7 in	Profile	<b>E98929</b>
Opaline	78.7 in	Diffuser	<b>E98930</b>
	2 x	Caps	<b>E98932</b>
	5 x	Brackets	<b>E98931</b>



### Corner profile | Indoor LED Strips



Compatible with  
Ribbon - Ribbon slim  
Dropper

type	L in		
Anod. AL	78.7 in	Profile	<b>E98903</b>
Transp.	78.7 in	Diffuser	<b>E98941</b>
Satinized	78.7 in	Diffuser	<b>E98942</b>
Opaline	78.7 in	Diffuser	<b>E98943</b>
	2 x	Caps	<b>E98905</b>
	5 x	Brackets	<b>E98904</b>

### Small recessed profile | Indoor LED Strips





Compatible with  
Ribbon - Ribbon slim  
Dropper

type	L in		
Anod. Al.	78.7 in	Profile	<b>E98895</b>
Transp.	78.7 in	Diffuser	<b>E98941</b>
Satinized	78.7 in	Diffuser	<b>E98942</b>
Opaline	78.7 in	Diffuser	<b>E98943</b>
	2 x	Caps	<b>E98896</b>
	5 x	Brackets	<b>E98944</b>

#### KIT composition

1 x	E98895-E98943-E98896-E98944	<b>E98965</b>
-----	-----------------------------	---------------




### Recessed profile | Indoor LED Strips



Compatible with  
Ribbon - Ribbon slim  
Dropper  
Silicone\_C

type	L in		
Anod. Al.	78.7 in	Profile	<b>E98897</b>
Transp.	78.7 in	Diffuser	<b>E98898</b>
Satinized	78.7 in	Diffuser	<b>E98899</b>
Opaline	78.7 in	Diffuser	<b>E98900</b>
	2 x	Caps	<b>E98902</b>
	5 x	Brackets	<b>E98901</b>




### False-ceilings integrated profile | Indoor LED Strips



Compatible with  
Ribbon - Ribbon slim  
Dropper  
Silicone\_C

type	L in		
Anod. Al.	78.7 in	Profile	<b>E98906</b>
Transp.	78.7 in	Diffuser	<b>E98898</b>
Satinized	78.7 in	Diffuser	<b>E98899</b>
Opaline	78.7 in	Diffuser	<b>E98900</b>
	2 x	Caps	<b>E98907</b>



### Plaster In linear profile | Indoor LED Strips



Compatible with  
Ribbon - Ribbon slim  
Dropper

type	L in		
Anod. AL	78.7 in	Profile	<b>E98916</b>
Opaline	78.7 in	Diffuser	<b>E98917</b>
	2 x	Caps	<b>E98918</b>



### Plaster In corner profile | Indoor LED Strips



Compatible with  
Ribbon - Ribbon slim  
Dropper

type	L in		
Anod. AL	78.7 in	Profile	<b>E98919</b>
Opaline	78.7 in	Diffuser	<b>E98917</b>
	2 x	Caps	<b>E98920</b>


### Plaster In side profile | Indoor LED Strips



Compatible with  
Ribbon - Ribbon slim  
Dropper

type	L in		
Anod. AL	78.7 in	Profile	<b>E98921</b>
Opaline	78.7 in	Diffuser	<b>E98917</b>
	2 x	Caps	<b>E98922</b>

### High slim surface profile | Indoor LED Strips



type	L in		
Anod. Al.	78.7 in	Profile	<b>E98908</b>
Opaline	78.7 in	Diffuser	<b>E98909</b>
	2 x	Caps	<b>E98911</b>
	5 x	Brackets	<b>E98910</b>



Compatible with  
Ribbon slim

### Square slim surface profile | Indoor LED Strips



type	L in		
Anod. Al.	78.7 in	Profile	<b>E98912</b>
Opaline	78.7 in	Diffuser	<b>E98913</b>
	2 x	Caps	<b>E98915</b>
	5 x	Brackets	<b>E98914</b>




Compatible with  
Ribbon slim

### Low slim surface profile | Indoor LED Strips



type	L in		
Anod. Al.	78.7 in	Profile	<b>E98885</b>
Transp.	78.7 in	Diffuser	<b>E98886</b>
Satinized	78.7 in	Diffuser	<b>E98887</b>
Opaline	78.7 in	Diffuser	<b>E98888</b>
	2 x	Caps	<b>E98890</b>
	5 x	Brackets	<b>E98889</b>



Compatible with  
Ribbon slim

### Flat surface profile | Indoor LED Strips




type	L in		
Anod. AL	78.7 in	Profile	<b>E98937</b>
Opaline	78.7 in	Diffuser	<b>E98938</b>
	2 x	Caps	<b>E98940</b>
	5 x	Brackets	<b>E98939</b>



Compatible with  
Ribbon - Ribbon slim

### Surface profile | Indoor LED Strips




type	L in		
Anod. AL	78.7 in	Profile	<b>E98419</b>
Opaline	78.7 in	Diffuser	<b>E98395</b>
	2 x	Caps	<b>E98418</b>
	5 x	Brackets	<b>E98420</b>



Compatible with  
Ribbon - Ribbon slim  
Dropper  
Silicone\_C

### Slim profile kit | Indoor LED Strips



type	L in	
Anod. AL	78.7 in	<b>E63560L02</b>

Compatible with  
Ribbon  
Dropper

### Heat sink | Indoor LED Strips



type	L in		
Anod. AL	78.7 in	Dissipatore - Heat sink	<b>E98956</b>

Compatible with  
Ribbon - Ribbon slim  
Dropper  
Silicone\_C